ELSEVIER

Analytica Chimica Acta 411 (2000) 247–248

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abollino, O.
—, Aceto, M., Sarzanini, C. and Mentasti, E.
The retention of metal species by different solid sorbents. Mechanisms for heavy metal speciation by sequential three column uptake 223
Aboul-Enein, H.Y., see Stefan, R.I. 51
Aceto, M., see Abollino, O. 223
Andrade, J.F., see Chacarolli, C.J. 217
Aoki, H., see Gadzekpo, V.P.Y. 163
Aucélio, R.Q.
—, Johnson, C.L.V., Smith, B.W. and Winefordner, J.D.
Ultratrace determination of thulium by laser-excited atomic fluorescence spectrometry with atomization in a rhenium lined tube furnace 57

Balbo, V.R., see Chacarolli, C.J. 217
Bedioui, F., see Pontié, M. 175
Bendahl, L.
—, Sidenius, U. and Gammelgaard, B.
Determination of selenoprotein P in human plasma by solid phase extraction and inductively coupled plasma mass spectrometry 103
Blomqvist, S., see Moberg, L. 137
Bühlmann, P., see Gadzekpo, V.P.Y. 163
Budnikov, H.C., see Medyantseva, E.P. 13
Buydens, L.M.C., see Swierenga, H. 121

Chacarolli, C.J.
—, Andrade, J.F., Guimarães, O.M., Balbo, V.R., Venezuela, C.S. and Teruel, F.S.
Spectrophotometric study of iron oxidation in the iron(II)/azide/tetrahydrofuran system and some analytical applications 217
Chatrathi, M.-P., see Wang, J. 187
Chen, L., see Wang, J. 187
Cserháti, T., see Darwish, Y. 239

Darwish, Y.
—, Cserháti, T. and Forgács, E.
Gas chromatographic determination of the energy of interaction between some commercial pesticides and a non-ionic surfactant 239
De Braekeleer, K., see Garrido Frenich, A. 145
de Noord, O.E., see Swierenga, H. 121
de Saja, J.A., see Guadarrama, A. 193
de Weijer, A.P., see Swierenga, H. 121
Devynck, J., see Pontié, M. 175

Erdemoğlu, S.B.
—, Pyrzyniska, K. and Gücer, S.
Speciation of aluminum in tea infusion by ion-exchange resins and flame AAS detection 81

Faber, N. (K) M.
Caveat in abstract factor analysis-based pseudorank estimation 157
Fang, Y., see Xu, C. 31
Fernández, J.A., see Guadarrama, A. 193
Forgács, E., see Darwish, Y. 239

Gadzekpo, V.P.Y.
—, Bühlmann, P., Xiao, K.P., Aoki, H. and Umezawa, Y.
Development of an ion-channel sensor for heparin detection 163
Gammelgaard, B., see Bendahl, L. 103
Garrido Frenich, A.
—, Martínez Galera, M., Martínez Vidal, J.L., Massart, D.L., Torres-Lapasió, J.R., De Braekeleer, K., Wang, J.-H. and Hopke, P.K.
Resolution of multicomponent peaks by orthogonal projection approach, positive matrix factorization and allternating least squares 145
Gaydou, E.M., see Magnani, L. 209
Ghous, T.
— and Townshend, A.
Flow injection method for the determination of thyroxine by inhibition of glutamate dehydrogenase 45
Glushko, N.I., see Medyantseva, E.P. 13
Gobin, C., see Pontié, M. 175
Gücer, S., see Erdemoğlu, S.B. 81
Guadarrama, A.
—, Fernández, J.A., Íñiguez, M., Souto, J. and de Saja, J.A.
Array of conducting polymer sensors for the characterisation of wines 193
Guimarães, O.M., see Chacarolli, C.J. 217

Hammock, B.D., see Kido, H. 1
Hanafi-Bagby, D.
—, Piunno, P.A.E., Wust, C.C. and Krull, U.J.
Concentration dependence of a thiazole orange derivative that is used to determine nucleic acid hybridization by an optical biosensor 19
He, P., see Xu, C. 31

PII: S0003-2670(00)00843-6

Hopke, P.K., see Garrido Frenich, A. 145
Horikoshi, K., see Okuma, H. 37
Hubaud, J.C., see Magnani, L. 209

Íñiguez, M., see Guadarrama, A. 193
Ikonomou, M.G., see Ross, A.R.S. 91

Johnson, C.L.V., see Aucélio, R.Q. 57

Karlberg, B., see Moberg, L. 137
Khaldeeva, E.V., see Medyantseva, E.P. 13
Kido, H.
—, Maquieira, A. and Hammock, B.D.
Disc-based immunoassay microarrays 1
Krull, U.J., see Hanafi-Bagby, D. 19

Larsson, U., see Moberg, L. 137

Magnani, L.
—, Gaydou, E.M. and Hubaud, J.C.
Spectrophotometric measurement of antioxidant properties of flavones and flavonols against superoxide anion 209
Maquieira, A., see Kido, H. 1
Martínez Galera, M., see Garrido Frenich, A. 145
Martínez Vidal, J.L., see Garrido Frenich, A. 145
Massart, D.L., see Garrido Frenich, A. 145
Matoetoe, M.C., see van Staden, J.F. 201
Medyantseva, E.P.
—, Khaldeeva, E.V., Glushko, N.I. and Budnikov, H.C.
Amperometric enzyme immunosensor for the determination of the antigen of the pathogenic fungi *Trichophyton rubrum* 13
Mentasti, E., see Abollino, O. 223
Moberg, L.
—, Karlberg, B., Blomqvist, S. and Larsson, U.
Comparison between a new application of multivariate regression and current spectroscopy methods for the determination of chlorophylls and their corresponding pheopigments 137

Okazaki, W., see Okuma, H. 37
Okuma, H.
—, Okazaki, W., Usami, R. and Horikoshi, K.
Development of the enzyme reactor system with an amperometric detection and application to estimation of the incipient stage of spoilage of chicken 37
Orians, K.J., see Ross, A.R.S. 91

Padró, A., see Vilanó, M. 71
Pauporté, T., see Pontié, M. 175
Piunno, P.A.E., see Hanafi-Bagby, D. 19
Pontié, M.
—, Gobin, C., Pauporté, T., Bedioui, F. and Devynck, J.
Electrochemical nitric oxide microsensors: sensitivity and selectivity characterisation 175
Pyrzyniska, K., see Erdemoğlu, S.B. 81

Ross, A.R.S.
—, Ikonomou, M.G. and Orians, K.J.
Characterization of dissolved tannins and their metal-ion complexes by electrospray ionization mass spectrometry 91

Rubio, R., see Vilanó, M. 71

Sarzanini, C., see Abollino, O. 223
Sidenius, U., see Bendahl, L. 103
Smilde, A.K., see Swierenga, H. 121
Smith, B.W., see Aucélio, R.Q. 57
Souto, J., see Guadarrama, A. 193
Stefan, R.-I.
—, van Staden, J. (K) F. and Aboul-Enein, H.Y.
On-line assay of *S*-captopril using an amperometric biosensor/sequential injection system 51
Swierenga, H.
—, Wülfert, F., de Noord, O.E., de Weijer, A.P., Smilde, A.K. and Buydens, L.M.C.
Development of robust calibration models in near infra-red spectrometric applications 121

Takahashi, K., see Tanaka, M. 109
Tanaka, M.
— and Takahashi, K.
The identification and characterization of silicate complexes in calcium chloride solution using fast atom bombardment mass spectrometry 109
Teruel, F.S., see Chacarolli, C.J. 217
Torres-Lapasió, J.R., see Garrido Frenich, A. 145
Townshend, A., see Ghous, T. 45

Umezawa, Y., see Gadzekpo, V.P.Y. 163
Usami, R., see Okuma, H. 37

van Staden, J. (K) F., see Stefan, R.I. 51
van Staden, J.F.
— and Matoetoe, M.C.
Simultaneous determination of copper, lead, cadmium and zinc using differential pulse anodic stripping voltammetry in a flow system 201
Venezuela, C.S., see Chacarolli, C.J. 217
Vilanó, M.
—, Padró, A. and Rubio, R.
Coupled techniques based on liquid chromatography and atomic fluorescence detection for arsenic speciation 71

Wang, J.
—, Chen, L. and Chatrathi, M.-P.
Evaluation of different fluorocarbon oils for their internal oxygen supply in glucose microsensors operated under oxygen-deficit conditions 187
Wang, J.-H., see Garrido Frenich, A. 145
Winefordner, J.D., see Aucélio, R.Q. 57
Wülfert, F., see Swierenga, H. 121
Wust, C.C., see Hanafi-Bagby, D. 19

Xiao, K.P., see Gadzekpo, V.P.Y. 163
Xu, C.
—, He, P. and Fang, Y.
Electrochemical labeled DNA probe for the detection of sequence-specific DNA 31